

# HECO®STAB

# **BIT DE** Light stabilizer

### **Supplied in shape of:** Mixture, Granule.

Active agent: Light stabiliser masterbatch.

# Area of use:

**HECO**<sup>®</sup>STAB 311 PE is suitable for use in polyethylene articles under extreme climatic conditions.

#### **Recommended dose:**

HECO®STAB 311 PE is added in the range of 1.0 - 5.0 %.

#### **Properties:**

**HECO**<sup>®</sup>STAB 311 PE is based on a sterically hindered amine, which prevents radical polymer degradation initiated by UV light and thus protects the plastic to be processed from UV light exposure.

# Pallet size:

1000.0 kg (40 sacks at 25.0 kg) / pallet, net.

### **Safety Precautions**

#### Foodstuff regulation:

Approval according to EU (VO) No. 10/2011. Approval according to the US FDA, see "Food Contact Approvals".

#### Storage:

No reduction in quality has been reported when properly stored under normal room conditions up to twelve (12) months.

#### Handling:

The precautions and hygienic measures usual in the handling of any chemical product should be observed.

# In case of fire:

In case of fire, suitable extinguishers are aqueous spray, foam or dry chemical; a full jet of water is unsuitable.

**HECOPLAST**<sup>®</sup> and **HECO**<sup>®</sup> are registered trademarks

Our information is based on the most careful analysis, nevertheless these are not guaranteed product features. Specific field tests are being recommended under any circumstance.

HECOPLAST<sup>®</sup> GmbH Kunststoffadditive, Zollhausstrasse 24, D - 58640 Iserlohn Telephone + 49 2371 / 797 61-0 – E-Mail: info@hecoplast.de