

290

Long-term antistatic agent

Supplied in shape of:

Mixture, pellet.

Active agent:

long-term antistatic agent.

Area of use:

HECO[®]STAT 290 is suitable for processing thermoplastics and polar plastics such as PVC and styrenics.

Recommended dose:

HECO[®]STAT 290 is added in the range of 1.0 – 3.0 % depending on the desired properties.

Properties:

HECO[®]STAT 290 provides highly effective antistatic properties for thermoplastic polymers. It shows an excellent efficiency and a long lasting antistatic effect.

Pallet size:

500.0 kg (20 sacks at 25.0 kg) / pallet, net.

Safety Precautions

Foodstuff regulations:

Approval according to EU (VO) No. 10/2011.

Specific migration limit: 6 mg/kg food (10 mg/dm²).

Approval according to the US FDA, see "Food Contact Approvals".

Storage:

No reduction in quality has been reported when the unopened sacks are stored under dry place under normal room conditions up to twelve (12) months. The opened bags of the raw material **HECO[®]STAT 290** must be closed airtight and protect from direct sunlight. The product reacts strongly hygroscopically.

Handling:

The precautions and hygienic measures usual in the handling of any chemical product should be observed.

In case of fire:

In case of fire, suitable extinguishers are aqueous spray and foam.

HECOPLAST[®] and **HECO[®]** are registered trademarks

Our information is based on the most careful analysis, nevertheless these are not guaranteed product features.
Specific field tests are being recommended under any circumstance.

HECOPLAST[®] GmbH Kunststoffadditive, Zollhausstrasse 24, D-58640 Iserlohn Telephone + 49 2371 / 797 61-0 – E-Mail: info@hecoplast.de